



MEDICAL FRIDGE

MINUS40

MED75GHD



MED75GHD Under-Counter Medical Fridge

The new under-counter was designed due to popular demand and for modern Hospitals and Pharmacies with temperature control that ensures tight tolerances for vaccines, medicines and related items.

Minus40's Medical units are backed by the reputable and reliable Minus40 service warranty. An optional annual service agreement can be specified.

Specifications


Fridge Capacity (Litres)	75L
Temperature Range - Fridge	2°C - 8°C
Max Ambient Temperature	32°C

Features

- ✓ Automatic Defrost
- ✓ Even Temperature Distribution
- ✓ Fan Assisted Cooling
- ✓ Low Operating Sound Level
- ✓ Self-Closing Door
- ✓ Lockable Door
- ✓ Internal Light (LED)
- ✓ High/Low Temperature Alarm
- ✓ **NEW** - Built-In Voltage Protector
- ✓ **NEW** - Anti-Freeze Protection
- ✓ **NEW** - 1 Pull-Out Shelf
- ✓ Door Open Alarm
- ✓ Stainless Steel Perforated & Adjustable Shelves
- ✓ External Manual Light Switch
- ✓ Corrosion Proof Stainless Steel Case for Easy Cleaning
- ✓ **NEW** - Hydrocarbon Refrigerant
- ✓ **NEW** - Dirty Condenser Alarm




PERFORMANCE DATA GRAPH: How The MED75GHD Maintains Temperature Between 3°C And 5°C At 32°C Ambient Temperature



MEDICAL DEVICES
QUALITY MANAGEMENT
ISO 13485:2016 CERTIFIED





- Research Centres
- Life Sciences
- Laboratories
- Hospitals
- Pharmacies

OPTIONAL EXTRAS

Minus40 Offers A Variety Of Optional Extra Items Which You Can Purchase To Use Separately Or With Your Minus40 Medical Fridge -



Independent Temperature Monitoring Devices

Minus40 Has A Variety Of Independent Temperature Monitoring Devices For You To Choose From - From The Standard USB Device, To The SMS / Email Alert Devices.



Minus40 Vaccine Cooler Boxes

These Strong, Durable And Reliable Vaccine Cooler Boxes Have Been Designed And Manufactured By Minus40 In Accordance To PQS Standards. They Are Available In The Following Litre Sizes; 3L (VB03), 7L (VB07), 12L (VB12)



MEDICAL DEVICES
QUALITY MANAGEMENT
ISO 13485:2016 CERTIFIED

*Contact Us For Prices On These Additional Items.



Construction

External Material	Stainless Steel
Internal Material	Stainless Steel
Shelves	1 Stainless Steel Perforated & Adjustable Shelf + 1 Stainless Steel, Perforated Pull-Out Shelf
Door Type	Glass, Hinged Door (Self-Closing Door)
Door Lock	Lockable Door
Lighting	Internal Light (LED)
Light Switch	External Manual Switch
Probe Hole	Comes With A Pre-Fitted Independent Temperature Monitoring Probe Hole
Feet / Base of Unit	Rectangular Base With Castor Wheels

Refrigeration

Compressor(s)	1 Compressor
Cooling Method	Fan Assisted Cooling
Defrost Mode	Automatic Defrost
Refrigerant	R600a

Alarms

Temperature Alarm	Audible and Visual Alarm For Temperatures Outside The Range of 2°C to 8°C
Dirty Condenser Alarm	Audible and Visual Alarm
Door Alarm	Audible and Visual Alarm

SPECIAL FEATURES



"If it doesn't say MINUS40- Its not a MINUS40"



Model

Model Name	MED75GHD Under-Counter Medical Fridge
Cabinet Type	Upright
Capacity (L) - Fridge	75L

Performance

Temperature Range - Fridge	2°C to 8°C
Max Ambient Temperature	32°C
Controller(s)	1 Digital Controller - with an LED Display.

Dimensions

External Dimensions (H x W x D) mm	810 x 565 x 520
Internal Dimensions - Fridge (H x W x D) mm	545 x 430 x 410
Weight (Kg)	55Kg

Electrical

Voltage (AC)	220V /50Hz
Rated Power Supply (Amps)	0.9
Electrical Protection	Built-In Voltage Protector
Energy Rating	B Class


ADDITIONAL SERVICES OFFERED



Maintenance Contracts / Service Level Agreements

Minus40 Offers Customer-Focused, Tailored Maintenance Contracts For All Minus40 Branded Products. Don't Wait Till It's Too Late – Let Us Know If You Would Like To Add An Additional Maintenance Contract To Extend The Longevity Of Your Medical Refrigerator.

Scan To View Our Online Instructional Videos



Alternatively,
You May Contact Us On;
+27(0) 21 386 2290



All Of Our Products Are Available For Online Viewing At;
www.minus40.co.za

**The parameters and performance specified in this brochure may be changed without prior notice, due to product upgrading.*

***There may be differences between the product images shown in this brochure and the actual products received.*

