



VACCINE FRIDGE

MINUS40

B240/220H



68 Hour
Holdover
Time



2°C - 8°C
Accurate
Temperature
Control



Designed
For Vaccine
Storage



Built-In
Voltage
Protector



Anti-Freeze
Protection



Easy
To Use



B240 Vaccine Fridge

Minus40's Vaccine range was designed and developed to Global Health Cold Chain specifications and sponsored by the South African National Department of Health, together with independent testing done by the CSIR.

The B240/220H is ideal for storing vaccines and medicines that need reliable and stable conditions for full efficacy.

Minus40's Vaccine fridges are backed by the reputable and reliable Minus40 service warranty. An optional annual service agreement can be specified.


Specifications

Fridge Capacity (Litres)	240L
Temperature Range - Fridge	2°C - 8°C

Features

- ✓ 68-Hour Holdover Time at 32°C
- ✓ Even Temperature Distribution
- ✓ Fan Assisted Cooling
- ✓ Low Operating Sound Level
- ✓ Self-Closing Door
- ✓ Lockable Latch
- ✓ Internal Light (LED)
- ✓ Auto Light Switch
- ✓ High/Low Temperature Alarm
- ✓ **NEW** - Built-In Voltage Protector
- ✓ **NEW** - Anti-Freeze Protection
- ✓ Door Open Alarm
- ✓ Stainless Steel Perforated & Adjustable Shelves
- ✓ CFC-Free High-Density Polyurethane Foam Insulation
- ✓ Corrosion Proof Stainless Steel Case for Easy Cleaning
- ✓ Automatic Defrost
- ✓ **NEW** - Dirty Condenser Alarm


PERFORMANCE DATA GRAPH: The B240/220H has a Holdover time of **68 Hours** after the loss of power at an ambient of 32°C



MEDICAL DEVICES
QUALITY MANAGEMENT
ISO 13485:2016 CERTIFIED

www.minus40.co.za





OPTIONAL EXTRAS

Minus40 Offers A Variety Of Optional Extra Items Which You Can Purchase To Use Separately Or With Your Minus40 Vaccine Refrigerator -



Independent Temperature Monitoring Devices
Minus40 Has A Variety Of Independent Temperature Monitoring Devices For You To Choose From - From The Standard USB Device, To The SMS / Email Alert Devices.



Minus40 Vaccine Cooler Boxes
These Strong, Durable And Reliable Vaccine Cooler Boxes Have Been Designed And Manufactured By Minus40 In Accordance To PQS Standards. They Are Available In The Following Litre Sizes;
3L (VB03) , 7L (VB07), 12L (VB12)



MEDICAL DEVICES
QUALITY MANAGEMENT
ISO 13485:2016 CERTIFIED

*Contact Us For Prices On These Additional Items.



Construction


External Material	Chromadek Steel
Internal Material	Stainless Steel
Insulation	CFC-Free High-Density Foam Insulation
Shelves	6 Stainless Steel Perforated & Adjustable Shelves
Door Type	Solid, Hinged Door (Self-Closing Door)
Door Lock	Lockable Latch
Lighting	Internal Light (LED)
Light Switch	Auto Light Switch
Probe Hole	Comes With A Pre-Fitted Independent Temperature Monitoring Probe Hole
Feet / Base of Unit	Rectangular Base (No Feet)

Refrigeration

Compressor(s)	1 Compressor
Cooling Method	Fan Assisted Cooling
Defrost Mode	Automatic Defrost
Refrigerant	R134a

Alarms

Temperature Alarm	Audible and Visual Alarm For Temperatures Outside The Range of 2°C to 8°C
Dirty Condenser Alarm	Audible and Visual Alarm
Door Alarm	Audible and Visual Alarm



Robust

This range of Vaccine Refrigerators have been in service around Southern Africa for the past 20 years, indicative of their durability.

Model

Model Name	B240/220H Vaccine Fridge
Cabinet Type	Upright
Capacity (L) - Fridge	240L

Performance

Temperature Range - Fridge	2°C to 8°C
Holdover Time at 32°C (Hr)	68 Hours
Max Ambient Temperature	43°C
Controller(s)	1 Digital Controller -with an LED Display. 1 Additional Solar Display

Dimensions

External Dimensions (H x W x D) mm	1725 x 650 x 710
Internal Dimensions - Fridge (H x W x D) mm	1170 x 450 x 490
Weight (Kg)	150Kg

Electrical

Voltage (AC)	220V /50Hz
Rated Power Supply (Amps)	2
Electrical Protection	Built-In Voltage Protector



HOLDOVER

This unit holds the temperature below 8°C for up to 68 hours at an ambient of 32°C after the source of energy has been interrupted. Through this unique design, your Minus40 refrigerator ensures a higher vaccine efficacy protection.

ADDITIONAL SERVICES OFFERED



Maintenance Contracts / Service Level Agreements

Minus40 Offers Customer-Focused, Tailored Maintenance Contracts For All Minus40 Branded Products. Don't Wait Till It's Too Late – Let Us Know If You Would Like To Add An Additional Maintenance Contract To Extend The Longevity Of Your Medical Refrigerator.

“If it doesn't say MINUS40- Its not a MINUS40”

Scan To View Our Online Instructional Videos



Alternatively,
You May Contact Us On;
+27(0) 21 386 2290



All Of Our Products Are Available For Online Viewing At;
www.minus40.co.za

**The parameters and performance specified in this brochure may be changed without prior notice, due to product upgrading.*

***There may be differences between the product images shown in this brochure and the actual products received.*



MEDICAL DEVICES
QUALITY MANAGEMENT
ISO 13485:2016 CERTIFIED

